

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
22 April 2004 (22.04.2004)

PCT

(10) International Publication Number  
WO 2004/033698 A2

(51) International Patent Classification<sup>7</sup>: C12P 7/00

KAWASHIMA, Hiroshi [JP/JP]; 6-11-1-113, Makami-cho, Takatsuki-shi, Osaka 569-1121 (JP). SUMIDA, Motoo [JP/JP]; 100, Kego, Isedacho, Uji-shi, Kyoto 611-0043 (JP).

(21) International Application Number:  
PCT/JP2003/013000

(22) International Filing Date: 9 October 2003 (09.10.2003)

(74) Agents: AOKI, Atsushi et al.; A. AOKI, ISHIDA & ASSOCIATES, Toranomon 37 Mori Bldg., 5-1, Toranomon 3-chome, Minato-ku, Tokyo 105-8423 (JP).

(25) Filing Language: English

(26) Publication Language: English

(81) Designated States (*national*): AU, CA, CN, ID, IN, JP, KR, SG, US.

(30) Priority Data:  
2002-299199 11 October 2002 (11.10.2002) JP

(84) Designated States (*regional*): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

(71) Applicant (*for all designated States except US*): SUNTORY LIMITED [JP/JP]; 1-40, Dojimahama 2-chome, Kita-ku, Osaka-shi, Osaka 530-8203 (JP).

**Published:**

— without international search report and to be republished upon receipt of that report

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): AKIMOTO, Kengo [JP/JP]; 1-9-5-1006, Yamazaki, Shimamoto-cho, Mishima-gun, Osaka 618-0001 (JP). HIGASHIYAMA, Kenichi [JP/JP]; 2-26-1-225, Nishiokamoto, Higashinada-ku, Kobe-shi, Hyogo 658-0073 (JP).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: PROCESS FOR PRODUCING MICROBIAL FAT OR OIL HAVING LOWERED UNSAPONIFIABLE MATTER CONTENT AND SAID FAT OR OIL

(57) **Abstract:** A process for producing a crude oil having lowered unsaponifiable matter content and/or ester-type sterol content and comprising a highly unsaturated fatty acid as a constituent fatty acid, characterized in that a microorganism capable of producing a fat or oil comprising an unsaturated fatty acid as a constituent fatty acid is cultured in a medium containing a nitrogen source concentration of 2 to 15% within a culture tank equipped with an agitation impeller satisfying the requirement that the ratio of the diameter of agitation impeller (= d) to the inner diameter of the culture tank (= D) is d/D = 0.30 to 0.6.

WO 2004/033698 A2